



A neonicotinoid insecticide to control aphids in broccoli/calabrese, cabbage, cauliflower, pea and potato, reduce damage from orange wheat blossom midge in wheat, and control pollen beetles in oilseed rape and mustard.

MAPP 12471

An oil dispersion formulation containing 240 g/L (22.97% w/w) thiacloprid.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

Bayer CropScience Limited
230 Cambridge Science Park
Milton Road, Cambridge CB4 0WB
Telephone: 01223 226500

For 24 hour emergency information contact
Bayer CropScience Limited
Telephone: 0800 220876

SAFETY PRECAUTIONS

Operator Protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate. WEAR SUITABLE PROTECTIVE GLOVES when handling contaminated surfaces.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection. WHEN USING DO NOT EAT, DRINK OR SMOKE. WASH HANDS AND EXPOSED SKIN before eating and drinking and after work. IF YOU FEEL UNWELL, seek medical advice (show label where possible).

Environmental Protection

Do not contaminate water with product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards or roads.

Storage and Disposal

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDINGSTUFFS. KEEP OUT OF REACH OF CHILDREN. KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place. RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely. DO NOT RE-USE CONTAINER for any purpose.

BISCAYA

Contains 240 g/L (22.97%) thiacloprid



HARMFUL

DANGEROUS FOR THE ENVIRONMENT

HARMFUL IF SWALLOWED
IRRITATING TO EYES AND SKIN
LIMITED EVIDENCE OF A CARCINOGENIC EFFECT
TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT

Wear suitable protective clothing and gloves.

Use only in well ventilated areas.

Do not breathe spray.

In case of contact with eyes, rinse with plenty of water and seek medical advice.

This material and its container should be disposed of in a safe way.

Avoid release into the environment. Refer to special information/Safety data sheet.

To avoid risks to man and the environment, comply with the instructions for use.

IMPORTANT INFORMATION:

FOR USE ONLY AS AN AGRICULTURAL INSECTICIDE

Crops:	Broccoli/calabrese, cabbage, cauliflower, peas, potatoes, wheat, oilseed rape and mustard
Maximum individual dose:	Broccoli/calabrese, cabbage, cauliflower, peas, potatoes and wheat: 0.4 L/ha. Oilseed rape and mustard: 0.3 L/ha
Maximum number of treatments:	Broccoli/calabrese, cabbage, cauliflower: 2. Peas: 2. Potatoes: ware crops 1; seed crops 2. Wheat, oilseed rape, mustard: 1
Latest time of application:	Broccoli/calabrese, cabbage, cauliflower: 7 days before harvest. Peas: 7 days before harvest. Potatoes: 14 days before harvest. Wheat: Up to and including flowering (anthesis just complete) (GS 69). Oilseed rape and mustard: 30 days before harvest

Other specific restriction: Do not apply to wheat before first spikelet visible stage (GS 51)

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

DIRECTIONS FOR USE

IMPORTANT: This leaflet is approved as part of the label. All instructions on this leaflet and on the label should be read carefully in order to obtain successful results from the use of this product.

RESTRICTIONS

Shake well before use

PESTS CONTROLLED

Biscaya is a neonicotinoid systemic insecticide which provides:-

- control of pea aphids (*Acyrtosiphon pisum*) in peas
- control of aphids (cabbage aphid *Brevicoryne brassicae* and peach-potato aphid *Myzus persicae*) in broccoli/calabrese, cabbage and cauliflower
- control of aphids (e.g. virus vectors such as the peach-potato aphid *Myzus persicae* and potato aphid *Macrosiphum euphorbiae*) in potatoes
- control of pollen beetles in oilseed rape and mustard.
- reduction in damage caused by orange wheat blossom midge in wheat

CROP SPECIFIC INFORMATION

There are various restrictions on the number of applications that can be made of any neonicotinoid product on certain crops. Please refer to the 'PESTICIDE RESISTANCE MANAGEMENT STRATEGY' for further details.

Application

Apply in a water volume of 200 - 400 Litres of water per hectare according to the crop and pest. Apply as a MEDIUM quality spray (BCPC).

All varieties of broccoli/calabrese, cabbage, cauliflower, peas, potatoes, wheat, oilseed rape and mustard may be treated.

Broccoli/calabrese, cabbage and cauliflower

Apply Biscaya at a rate of 0.4 L/ha as aphids start to build up in the crop. On autumn/winter crops with longer growing periods destined for later harvesting, one or both of the neonicotinoid foliar applications should be targeted at *Brevicoryne brassicae* and should be applied late in the season when numbers of *Myzus persicae* are low.

Levels of control may be reduced where high, established populations are present. In such circumstances a second application may be required.

Biscaya may be used up to 2 times in a programme in alternation with non-neonicotinoid insecticides of a different mode of action. Do not use Biscaya in consecutive sprays. Follow guidelines in 'PESTICIDE RESISTANCE MANAGEMENT STRATEGY' below.

Water Volume: 200 – 400 L/ha. Use higher water volumes in dense crops.

Combining peas and vining peas

Apply Biscaya at a rate of 0.4 L/ha as pea aphids start to build up in the crop. A second application may be applied if aphid pressure remains high.

Water Volume: 200 – 400 L/ha

Potatoes

Ware Crops

Apply Biscaya at a rate of 0.4 L/ha when aphids reach threshold levels. Should further applications be required, use a non-neonicotinoid insecticide of a different mode of action.

Seed crops

Apply Biscaya at a rate of 0.4 L/ha from crop emergence. Biscaya may be used up to 2 times in a programme in alternation with non-neonicotinoid insecticides of a different mode of action. Do not use Biscaya in consecutive sprays. Use no more than two applications of any neonicotinoid containing product on seed potatoes (see 'pesticide resistance management strategy').

Biscaya will reduce the transmission of potato viruses when used as part of an insecticide programme for virus prevention

Water Volume: - 200 – 400 L/ha: use a higher volume on dense crops.

Oilseed Rape and mustard

Apply Biscaya at a rate of 0.3 L/ha at green bud stage if pollen beetle numbers are at threshold levels.

Water Volume: 200 – 400 L/ha

Wheat

Apply Biscaya at a rate of 0.4 L/ha during ear emergence as soon a threshold of adult orange wheat blossom midges has been reached. Use pheromone traps or yellow sticky traps to monitor adult activity in crops at risk. Crops at GS55-59 are most susceptible to damage. Consult HGCA literature or a qualified agronomist for additional information on the pest and spray thresholds.

Aphids present on the crop at application will also be controlled.

Water Volume: 200 L/ha

PESTICIDE RESISTANCE MANAGEMENT STRATEGY

Total reliance on one pesticide will hasten the development of resistance; pesticides of different chemical types or alternative control methods should be included in a planned programme. Alternating insecticides with different modes of action is a recognised anti-resistance strategy and 'Biscaya' should always be used in conjunction with other insecticides of a different mode of action. This includes consideration of sequences involving seed or soil treatments followed by foliar sprays.

Brassicas

Use no more than two foliar applications of any neonicotinoid insecticide (e.g. acetamiprid, thiacloprid) on any crop. Two foliar applications are permitted regardless of whether a neonicotinoid insecticide has previously been used on the crop as a seed or module treatment. Where a neonicotinoid seed or soil treatment has been used, the first subsequent foliar spray should be with a non-neonicotinoid containing product with a different mode of action.

One or both of the neonicotinoid foliar applications should be targeted at *Brevicoryne brassicae* and should be applied late in the season when numbers of *Myzus persicae* are low. Alternate with non-neonicotinoid containing products between foliar applications of neonicotinoids.

Potato

Use no more than a single application of any neonicotinoid insecticide on ware potatoes, and no more than two applications of any neonicotinoid insecticide on seed potatoes.

Oilseed rape

Use no more than one foliar application of any neonicotinoid insecticide on oilseed rape.

Growers should consult the IRAG website for further information on the current resistance management strategy for pollen beetle, in particular the use of thiacloprid in areas of high resistance risk, or where a pyrethroid has been used but pollen beetle populations remain above the treatment threshold.

Biscaya should always be applied at the full recommended rate of use and in sufficient water volume to achieve the required spray penetration into the crop and uniform coverage necessary for optimal pest control.

MIXING AND SPRAYING

Shake well before use. Add the required quantity of Biscaya to the half-filled spray tank with the agitation system in operation, and fill to the required level. Continue agitation at all times during spraying and stoppages until the tank is completely empty. Spray immediately after mixing. Wash equipment thoroughly, immediately after use, and drain.

COMPATIBILITY

Consult your distributor or Bayer CropScience.

© Bayer CropScience 2009

Section 6 of the Health and Safety at Work Act

Additional Product Safety Information (This section does not form part of the approved product label). The product label provides information on a specific pesticidal use of the product; do not use otherwise, unless you have assessed any potential hazard involved, the safety measures required and that the particular use has "off-label" approval or is otherwise permitted. The information on this label is based on the best available information including data from test results.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

BISCAYA

Version 2 / GB Revision Date: 25.06.2009 102000007918

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product information

Trade name	BISCAYA
Product code (UVP)	05683696
Usage	Insecticide
Company	Bayer CropScience Limited, 230 Cambridge Science Park Milton Road, Cambridge CB4 0WB
Telephone	+44(0)1223 226500
Telefax	+44(0)1223 426240
Responsible Department	Email: ukinfo@bayercropscience.com
Emergency telephone number	0800-220876 (UK 24 hr) +44(0)1603-242424 (Overseas 24 hr)

2. HAZARDS IDENTIFICATION

Risk advice to man and the environment

Harmful if swallowed.

Limited evidence of a carcinogenic effect.

Irritating to eyes and skin.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Oil dispersion (OD)

Thiacloprid 240 g/l

Hazardous components

Chemical Name	CAS-No. / EINECS-No.	Symbol(s)	R-phrases(s)	Concentration [%]
Thiaclopride	111988-49-9	Xn, N	R20/22, R40, R50/53	22.90
Ethoxylated alcohol		Xn	R22, R38, R41	>1.00 - < 5.00
2-Ethylhexanole	104-76-7 203-234-3	Xi	R36/38	> 1.00 - < 20.00
Alkylaryl sulfonate	247-557-8	Xi	R38, R41	> 5.00 - < 10.00
2-Ethylhexanol propylene ethyleneglycol ether	64366-70-7		R52/53	> 1.00 - < 25.00

For the full text of the R-phrases mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

General advice

Move out of dangerous area. Place and transport victim in stable position (lying sideways).

Remove contaminated clothing immediately and dispose of safely.

Inhalation

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

Skin contact

Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

Notes to Physician

Treatment

Treat symptomatically.

In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours.

However, the application of activated charcoal and sodium sulphate is always advisable.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray
Carbon dioxide (CO₂)
Foam
Sand

Specific hazards during fire fighting

In the event of fire the following may be released:

Hydrogen chloride (HCl)
Hydrogen cyanide (hydrocyanic acid)
Carbon monoxide (CO)
Sulphur oxides
Nitrogen oxides (NO_x)

Special protective equipment for fire-fighters

In the event of fire and/or explosion do not breathe fumes.

In the event of fire, wear self-contained breathing apparatus.

Further information

- Contain the spread of the fire-fighting media.
- Do not allow run-off from fire fighting to enter drains or water courses.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

- Avoid contact with spilled product or contaminated surfaces.
- Use personal protective equipment.

Environmental Precautions

- Do not allow to get into surface water, drains and ground water.
- If spillage enters drains leading to sewage works inform local water company immediately.
- If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

Methods for cleaning up

- Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).
- Clean contaminated floors and objects thoroughly, observing environmental regulations.
- Keep in suitable, closed containers for disposal.

Additional Advice

- Information regarding safe handling, see section 7.
- Information regarding personal protective equipment, see section 8.
- Information regarding waste disposal, see section 13.

7. HANDLING AND STORAGE

Handling

Advice on safe handling

- Use only in area provided with appropriate exhaust ventilation.

Storage

Requirements for storage areas and containers

- Store in original container.
- Keep containers tightly closed in a dry, cool and well-ventilated place.
- Store in a place accessible by authorized persons only.
- Store bulk material and packed materials in a closed warehouse or under cover protected against direct sunlight and frost.

Advice on common storage

- Keep away from food, drink and animal feedingstuffs.

Temperature tolerance	min.	max.
	-10 °C	40 °C

Suitable materials

- Coextruded containers with an internal barrier layer made of polyamide (PA)
- HDPE (high density polyethylene)
- Deformation through oxygen consumption possible.
- Coextruded containers with an internal barrier layer made of ethylene vinyl alcohol copolymer (EVOH)

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004).

Engineering controls should be used in preference to personal protective equipment wherever practicable.

Refer also to COSHH Essentials.

Components with workplace control parameters

Components	CAS-No.	Control parameters	Update	Basis
Thiaclopride	111988-49-9	0.56 mg/m ³		OES BCS*

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory Protection

Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness 0,40 mm). Wash when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed. Wash hands always before eating, drinking, smoking or using the toilet.

Eye protection

Wear goggles conforming to EN166 (Field of Use 5 or equivalent).

Skin and body protection

Wear standard overall and type 6 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

Hygiene measures

- Avoid contact with skin, eyes and clothing.
- Keep working clothes separately.
- Wash hands immediately after work, if necessary take a shower.
- Remove soiled clothing immediately and clean thoroughly before using again.
- Garments that cannot be cleaned must be destroyed (burnt).

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	suspension
Colour	white
Odour	weak, characteristic

Safety data

Flash point	98 °C
Ignition temperature	405 °C
Density	approx. 1,04 g/cm ³ at 20 °C
Water solubility	dispersible
Viscosity, dynamic	<= 1,500 mPa.s at 20 °C
	Velocity gradient 7.5 /s
Surface tension	33.7 mN/m

10. STABILITY AND REACTIVITY

Conditions to Avoid	Extremes of temperature and direct sunlight.
Hazardous Reactions	No hazardous reactions when stored and handled according to prescribed instructions. Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity	LD50 (rat) > 500 - < 1,000 mg/kg
Acute Inhalation Toxicity	LC50 (rat) > 0.846 mg/l
	Exposure time: 4 h
	Determined in the form of a respirable aerosol.
	Highest attainable concentration.

Acute Dermal Toxicity	LD50 (rat) > 4,000 mg/kg
Skin Irritation	Irritating to skin. (rabbit)
Eye Irritation	Irritating to eyes. (rabbit)
Sensitization	Non-sensitizing. (guinea pig)
	OECD Test Guideline 406, Magnusson & Kligman test

12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Toxicity to Fish: LC50 (Lepomis macrochirus (Bluegill sunfish)) 25.2 mg/l. Exposure time: 96 h. The value mentioned relates to the active ingredient.

Toxicity to daphnia: EC50 (Water flea (Daphnia magna)) >= 85.1 mg/l. Exposure time: 48 h. The value mentioned relates to the active ingredient.

Toxicity to daphnia: LC50 (Chironomus riparius (non-biting midge)) 0.032 mg/l. Exposure time: 24 h. Test conducted with a similar formulation.

Toxicity to algae: IC50 (Desmodesmus subspicatus) 96.7 mg/l. Exposure time: 72 h. The value mentioned relates to the active ingredient.

13. DISPOSAL CONSIDERATIONS

Product: In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging: Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose. Return large containers to supplier. Follow advice on product label and/or leaflet.

Waste key for the unused product: 020108 agrochemical waste containing dangerous substances

14. TRANSPORT INFORMATION

ADR/RID/ADNR

UN-Number: 3082 Labels: 9 Packaging group: III Hazard no.: 90

Description of the goods:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (THIACLOPRID SOLUTION)

Tunnel Code: E

This classification is in principle not valid for carriage by tank vessel on inland waterways.

Please refer to the manufacturer for further information.

IMDG

UN-Number: 3082 Labels: 9 Packaging group: III EmS: F-A , S-F

Marine pollutant: Marine pollutant

Description of the goods:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (THIACLOPRID SOLUTION)

IATA

UN-Number: 3082 Labels: 9 Packaging group: III

Description of the goods:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (THIACLOPRID SOLUTION)

UK 'Carriage' Regulations

UN-Number: 3082 Labels: 9 Packaging group: III Hazard no.: 90

Emergency action code: 3Z

Description of the goods:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (THIACLOPRID SOLUTION)

15. REGULATORY INFORMATION

This product has been classified in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002: CHIP 3 and any subsequent amendments.

Classification:

Hazard warning labelling compulsory

Hazardous components which must be listed on the label:

- Thiachlopride

Symbol(s)

Xn	Harmful
N	Dangerous for the environment

R-phrases(s)

R22	Harmful if swallowed.
R36/38	Irritating to eyes and skin.
R40	Limited evidence of a carcinogenic effect.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases(s)

S35	This material and its container must be disposed of in a safe way.
S36/37	Wear suitable protective clothing and gloves.
S57	Use appropriate container to avoid environmental contamination.

CLASSIFICATION ACCORDING TO SPECIFIC UK REGULATIONS:

The labelling information below is that which has been approved under 'The Control of Pesticides Regulations 1986' and/or 'Part III of the Food and Environment Protection Act 1985' and/or 'Plant Protection Product Regulations 1999' and any subsequent amendments and may differ from that indicated by any toxicological and/or other testing otherwise indicated in this 'Safety Data Sheet'.

Symbol(s)

Xn	Harmful
N	Dangerous for the environment

R-phrases(s)

R22	Harmful if swallowed.
R36/38	Irritating to eyes and skin.
R40	Limited evidence of a carcinogenic effect.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases(s)

S23	Do not breathe spray.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S35	This material and its container must be disposed of in a safe way.
S36/37	Wear suitable protective clothing and gloves.
S51	Use only in well-ventilated areas.
S61	Avoid release to the environment. Refer to special instructions/safety data sheets.

Exceptional labelling

To avoid risks to man and the environment, comply with the instructions for use.

Further information

WHO-classification: II (Moderately hazardous)

16. OTHER INFORMATION

Further information

Text of R-phrases mentioned in Section 3

R20/22	Harmful by inhalation and if swallowed.
R22	Harmful if swallowed.
R36/38	Irritating to eyes and skin.
R38	Irritating to skin.
R40	Limited evidence of a carcinogenic effect.
R41	Risk of serious damage to eyes.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The above information is intended to give general health and safety guidance on the storage and transport of the product. It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with. The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given. The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate. No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet. This version replaces all previous versions.



A neonicotinoid insecticide to control aphids in broccoli/calabrese, cabbage, cauliflower, pea and potato, reduce damage from orange wheat blossom midge in wheat, and control pollen beetles in oilseed rape and mustard.

MAPP 12471

An oil dispersion formulation containing 240 g/L (22.97% w/w) thiacloprid.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

Bayer CropScience Limited
230 Cambridge Science Park
Milton Road, Cambridge CB4 0WB
Telephone: 01223 226500

For 24 hour emergency information contact Bayer CropScience Limited
Telephone: 0800 220876

SAFETY PRECAUTIONS

Operator Protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate. WEAR SUITABLE PROTECTIVE GLOVES when handling contaminated surfaces.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection. WHEN USING DO NOT EAT, DRINK OR SMOKE. WASH HANDS AND EXPOSED SKIN before eating and drinking and after work. IF YOU FEEL UNWELL, seek medical advice (show label where possible).

Environmental Protection

Do not contaminate water with product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards or roads.

Storage and Disposal

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDINGSTUFFS. KEEP OUT OF REACH OF CHILDREN. KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place. RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely. DO NOT RE-USE CONTAINER for any purpose.

BISCAYA

Contains 240 g/L (22.97%) thiacloprid



HARMFUL



DANGEROUS FOR THE ENVIRONMENT

**HARMFUL IF SWALLOWED
IRRITATING TO EYES AND SKIN
LIMITED EVIDENCE OF A CARCINOGENIC EFFECT
TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT**

Wear suitable protective clothing and gloves.

Use only in well ventilated areas.

Do not breathe spray.

In case of contact with eyes, rinse with plenty of water and seek medical advice.

This material and its container should be disposed of in a safe way.

Avoid release into the environment. Refer to special information/Safety data sheet.

To avoid risks to man and the environment, comply with the instructions for use.

IMPORTANT INFORMATION:

FOR USE ONLY AS AN AGRICULTURAL INSECTICIDE

Crops:	Broccoli/calabrese, cabbage, cauliflower, peas, potatoes, wheat, oilseed rape and mustard
Maximum individual dose:	Broccoli/calabrese, cabbage, cauliflower, peas, potatoes and wheat: 0.4 L/ha. Oilseed rape and mustard: 0.3 L/ha
Maximum number of treatments:	Broccoli/calabrese, cabbage, cauliflower: 2. Peas: 2 Potatoes: ware crops 1; seed crops 2. Wheat, oilseed rape, mustard: 1
Latest time of application:	Broccoli/calabrese, cabbage, cauliflower: 7 days before harvest Peas: 7 days before harvest Potatoes: 14 days before harvest Wheat: Up to and including flowering (anthesis just complete) (GS 69) Oilseed rape and mustard: 30 days before harvest

Other specific restriction: Do not apply to wheat before first spikelet visible stage (GS 51)

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.