



# Folicur Tank Mixes



## Tank-mix precautions

### PGR tank mixtures

Folicur + strobilurin may be applied, before crop GS32, in mixture with one of the following (dose/ha): -

Moddus 0.2L + chlormequat 1.25L (winter wheat)

Moddus 0.1L + chlormequat 1.25L (winter barley – light soils or malting crops)

Moddus 0.2L + chlormequat 1.25L (winter barley – Other soils and feed crops)

Before using any of the mixtures shown above, first check the manufacturer's latest recommendations for Moddus.

DO NOT use Folicur + strobilurin + Moddus + chlormequat on Spring Barley.

### Adjuvants

In soft crops avoid the use of tank-mixtures with HBNs or Atlantis+biopower. In particular, tank mixtures with EC fungicide formulations as this may result in transitory adverse crop effects.

### Sulphonyl Ureas (SU)

All sulphonyl urea herbicides have the potential to cause damage to sensitive crops if residues are left in the spray tank. For this reason sprayer hygiene following the use of SU + chlorothalonil + Folicur is very important. Sprayers should always be the

### Cheetah Super, Grasp or Topik

Adjuvant oil recommended by the herbicide manufacturer may be added in mixes with Folicur + strobilurin.

Do NOT use any of these herbicides in mixes with Folicur + strobilurin + Moddus + chlormequat

### Trace Elements

These products are physically compatible only, there is no information on crop safety available

### General Precautions

For any tank-mix it is important that the appropriate manufacturer's recommendations should be consulted and followed, and care taken to ensure that applications are made within the recommendations for each product.

First disperse Folicur in the spray tank (follow label 'Mixing' instructions), then add the other product(s), unless specified otherwise.

All mixes should be sprayed immediately and agitated throughout until the spray tank is empty.

The user should ensure that all products to be tank-mixed with Folicur are approved for use on the crops which are to be sprayed.

Always check individual product labels for any possible restrictions before making a tank-mix recommendation.

Contact Bayer CropScience Limited for full details.

Please note that physical compatibilities may not be approved tank-mixes. Physical compatibility tests check that the products are physically suitable for application with a conventional sprayer. The tests do not check for any adverse crop phytotoxicity

Atlantis, Attribut, biopower, Capture, Centaur, Cerone, Chekker, Cheetah, Coronet, decis, Eagle, Folicur, Fandango, Helix, Hussar, Mobius, Oxytril, Pacifica, Proline, Prosaro, Sahara, Sekator, Sphere, Swift, Torch, Upgrade and Veto are registered trademarks of Bayer

For more information, please visit the combineable crops section at

[www.bayercropscience.co.uk](http://www.bayercropscience.co.uk) or call Bayer Assist on 0845 6092266

Bayer CropScience Limited, 230 Cambridge Science Park, Cambridge CB4 0WB



**Always read the label: use pesticides safely.** © Bayer CropScience 2009

Revised 24/06/09